Literature list, direct PNF related in subsections:

Disclaimer:

The IPNFA includes these PNF and PNF related texts for your reference/information and is not responsible for the content, scientific background and terminology used in these publications.

Philosophy

Functional approach

- 1. Smedes F, Heidmann M, Schäfer C, Fischer N, Stepien A. The proprioceptive neuromuscular facilitation-concept; the state of the evidence, a narrative review. *Physical Therapy Reviews* 2016 DOI:10.1080/10833196.2016.1216764
- 2. Smedes F, Functioneel oefenen, de betekenis van het functioneel oefenen binnen het PNF concept. *FysioPraxis* 2002 (11) 9-11 (functional exercise, the meaning for PNF)

Treating the total human being

- 3. Clark, Treleaven, Röijezon, Proprioception in musculoskeletal rehabilitation. Part 2 Basic science and principles of assessment and clinical Interventions. *Manuel Therapy* 2015(20) 378-387
- 4. Röijezon, Clark, Treleaven. Proprioception in musculoskeletal rehabilitation. Part 1 Basic science and principles of assessment and clinical interventions. *Manuel Therapy* 2015(20) 368-377
- 5. Smedes F, PNF beter (be)grijpen. *FysioPraxis* 2001 (12) 42-46. (Better understanding of PNF)
- 6. Westwater-Wood S, Adams N, Kerry R. The use of proprioceptive neuromuscular facilitation in physiotherapy practice *Physical Therapy Reviews 2010 VOL.15.* (1) 23-28

Use of motor learning and motor control principles

- 7. Luft CDB. Learning from FB. The neural mechanisms of fb processing facilitating beter performance. *Behavioural Brain Research* 2014(261) 356–368
- 8. Cauraugh J H, Kim S B. Stroke motor recovery: active neuromuscular stimulation and repetitive practice schedules. *J Neurol Neurosurg Psychiatry* 2003;74:1562–1566
- 9. Celnik P, Stefan K et al. Encoding a motor memory in the older adult by action observation. *NeuroImage* 2006 (29) 677 684
- 10. Charlton JL, Motor control issues and clinical applications. *Physiotherapie theory and practice* 1994 (10) 185-190
- 11. Corcos DM, Strategies underlying the control of disordered movement. *Physical Therapy* 1991 (71) 25-38
- 12. Filimon F, et al. Human cortical representations for reaching mirror neurons for execution, observation and imagery. *Neuroimage*. 2007 37(4): 1315–1328
- 13. Frank JS, Earl M, Coördination of posture and movement. *Physical Therapy* 1990 (12) 109-117
- 14. Frey SH, Fogassi L, Grafton S, Picard N, Rothwell JC, Schweighofer N, Corbetta M, Fitzpatrick SM. Neurological Principles and Rehabilitation of Action Disorders: Computation, Anatomy, and Physiology (CAP) Model Neurorehabil Neural Repair 2011; 25: 6-20

- Grafton ST, Salidis J, Willingham DB. Motor Learning of Compatible and Incompatible Visuomotor Maps *Journal of Cognitive Neuroscience* 2001 13:2, 217–231
- 16. Halsband U, Lange RK. Motor learning in man: A review of functional and clinical studies. *Journal of PhysiologyParis* 2006 (99) 414-424
- 17. Hecht H, Prinz W, Vogt S. Motor Learning enhances perceptual judgment. a case for action-perception transfer. *Psychological research* 2001(65) 3-14
- 18. Krakauer JW. Motor learning: its relevance to stroke recovery and neurorehabilitation. *Current Opinion in Neurology* 2006, 19:84–90
- 19. Latash ML, Levin MF, Scholz JP, Schöner G. Motor control theories and their applications. *Medicina (Kaunas)* 2010;46(6):382-92
- 20. Lee TD, Swanson LR, Hall AL, What is repeated in a repetition? Effects of practice conditions on motor skill acquisition. *Physical Therapy* 1991 (71) 150-156
- 21. Malouin F, Jackson PL, Richards CL. Towards the integration of mental practice in rehab programs. a critical review. *Frontiers in Human Neuroscience* 2013 (9) 01-20
- 22. Marks R, Peripheral mechanisms underlying the signaling of joint position. *NZ Journal of Physiotherapy* 1997 April
- 23. Mulder T, A process- oriented model of human motor behaviour: toward a theory-based rehabilitation approach. *Physical Therapy* 1991 (2) 82-89.
- 24. Newell KM, Vaillancourt DE. Dimensional change in motor learning. *Human Movement Science* 2001 (20) 695-715
- 25. Rokni U et al. Motor Learning with Unstable Neural Representations *Neuron* 2007 (54) 653–666
- 26. Sanes JN, Donoghue JP. Plasticity and Primary Motor Cortex. *Annu. Rev. Neurosci.* 2000. 23:393–415
- 27. Stanley J, Krakauer JW. Motor skill depends on knowledge of facts. *Frontiers in Human Neuroscience* 2013 (8) 01-11
- 28. Stefan K, Classen J, CelnikP, Cohen LG. Concurrent action observation modulates practice-induces motor memory formation. *European Journal of Neuroscience* 2008 (27) 730–738
- 29. Taub E, et al. An operant approach to rehab medicine, overcoming learned nonuse by shaping. *Journal of experimental analysis of behaviour*. 1994 (61) 281-293
- 30. Taylor JA, Ivry RB. The role of strategies in motor learning *Ann. N.Y. Acad. Sci.* 2012 doi: 10.1111/j.1749-6632.2011.06430.x
- 31. Vereijken B, Whiting HTA, Newell KM. Free(z)ing Degrees of Freedom in Skill Acquisition. *Journal of Motor Behavior* 1992 (24) 1, 133-142
- 32. Vereijken et al. Changing coordinative structures in complex skill acquisition. *Human Movement Science* 1997 (16) 823-844
- 33. Vereijken B, Van Emmerik REA, Bongaardt R, Beek WJ, K.M. Newell. Changing coordinative structures in complex skill Acquisition. Human Movement Science 1997 (16) 823-844
- 34. Vliet van PM, Wulf G. Extrinsic feedback for motor learning after stroke what is the evidence. *Disability and Rehabilitation* 2006 (28) 831 840
- 35. Winstein CJ, Knowledge of results and motor learning Implications for physical therapy. *Physical Therapy* 1991 (71) 140-149.
- 36. Wulf G, Höss M, Prinz W. instructions for motor learning differential effect for internal versus external focus of attention. *Journal of motor behavior* 1998 (30) 2
- 37. Wulf G, Shea C, Lewthwaite R. Motor Learning and Performance: A Review of Influential Factors. *Medical Education* 2010: 44: 75–84

38. Zwicker JG, Harris SR. A reflection on motor learning theory in pediatric occupational therapy practice. *Canadian journal of Occupational Therapy* 2009 (76) 1 29-37

Basic procedures

Tactile stimulus

- 39. Fallon JB et al. Evidence for Strong Synaptic Coupling Between Single Tactile Afferents From the Sole of the Foot and Motoneurons Supplying Leg Muscles. *J Neurophysiol* 2005 (94) 3795–3804
- 40. Jeka JJ, Lackner JR. Fingertip contact influences human postural control 1994. *Exp Brain Res* 1994 (100) 495-502

Visual stimulus

- 41. Mohapatra S, Krishnan V, and Aruin AS. The effect of decreased visual acuity on control of posture Clin Neurophysiol. 2012 January; 123(1): 173–182
- 42. Prodoehl J, Vaillancourt DE. Effects of visual gain on force control at the elbow and ankle *Exp Brain Res*. 2010; 200(1): 67–79.
- 43. Ramachandran VS, Altschuler EL. The use of visual feedback, in particular mirror visual feedback, in restoring brain function. *Brain* 2009: 132; 1693–1710

Resistance

- 44. Gabriel DA, Kamen G, Frost G: Neural adaptations to resistive exercise, mechanisms and recommendations for training practices. *Sports Med* 2006 (2) 183-189
- 45. KofotolisN, Vrabas IS, Vamvakoudis E, Papanikolaou A, Mandroukas K: Proprioceptive neuromuscular facilitation training induced alterations in muscle fiber type and cross sectional area. *British Journal of Sports Medicine 2005 (3):e11*.

Approximation

46. Yigiter K, Sener G, Erbahceci F, BayarK, Ülger ÖG, Akodogan S: A comparison of traditional prosthetic training versus PNF resistive gait training with trans-femoral amputees. *Prosthetics and orthotics international 2002 (26) 213-217*

Pattern

- 47. Mc Mullen J, Uhl TL: A kinetic chain approach for shoulder rehabilitation. *Journal of athletic training* 2000 (3) 329-337
- 48. Myers JB, Lephart SM: The role of the sensorimotor system in the athletic shoulder *Journal of athletic training 2000 (3) 351-363*
- 49. Shimura K, Kasai T: Effects of proprioceptive neuromuscular facilitation on the initiation of voluntary movement and motor evoked potentials in upper limb muscles. *Human movement science* 2002 (1) 101-113
- 50. Youdas JW, Arend DB, Extrom JM, Helmus TJ, Rozeboom JD, Hollman JH. Comparison of muscle activation levels during arm abd. in the plane of the scapula vs PNF upper extr. Patterns. *Journal of Strength and Conditioning Research* 2012 (26) 4, 1058-1065
- 51. Witt D, Talbott N, Kotowski S: Electromyographic activity of scapular muscles during diagonal patterns using elastic resistance and free weights. *International Journal of Sports Physical Therapy 2011 (4) 322-332*

Irradiation

- 52. Arai M, ea: Effects of the use of cross-education to the affected side through various resistive exercises of the sound side and settings of the length of the affected muscles. *Hiroshima journal of medical science 2001 (3):65-73*
- 53. Carroll GTJ, Herbert RD, Munn J, Lee M. Gandavia SC. Contralateral effects of unilateral strength training. Evidence and possible mechanisms. *J Appl Physiol* 2006 (101):1514-1522
- 54. Gontijo LB, Pererla PD, Neves CDC, Santos AP, Castro Dutra Machado D, Vale Bastos, VH. Evaluation of Strength and Irradiated Movement Pattern Resulting from Trunk Motions of the Proprioceptive Neuromuscular Facilitation. *Rehabilitation Research and Practice Volume 2012, Article ID 281937, 6 pages doi:10.1155/2012/281937*
- 55. Hendy AM; Spittle M; Kidgell DJ Cross education and immobilisation: mechanisms and implication for injury rehabilitation. *Journal of Science and Medicine in Sport* 2012(15) 94–101
- 56. Kofotolis ND, Kellis E: Cross-training effects of a Proprioceptive neuromuscular facilitation exercise programme on knee musculature. *Physical Therapy in Sport 8* (2007) 109–116
- 57. Lee M, Gandevia SC, Carroll TJ. Unilateral strength training increases voluntary activation of the opposite untrained limb. *Clinical Neurophysiology* 2009 (120) 802-808
- 58. Lee M, Caroll TJ. Cross Education Possible Mechanisms for the Contralateral Effects of Unilateral Resistance Training. *Sports medicine* 2007; 37 (1) 1-14
- 59. Mastalerz A, Wozniak A, Urbaniak C, Lutoslawska G. Contralateral effects after power training in isolated muscles in women. *Acta of Bioengineering and Biomechanics* 2010, 12,(2) 1-7
- 60. Munn J, Herbert RD, Gandevia SC. Contralateral effects of unilateral resistance training a meta analysis. *J.Appl Physiol* 2004 (96):1861-1866
- 61. Reznik JE, Biros E, Bartur G.An electromyographic investigation of the pattern of overflow facilitated by manual resistive proprioceptive neuromuscular facilitation in young healthy individuals: a preliminary study. *Physiother Theory Pract.* 2015 Nov;31(8):582-6
- 62. Sato H, Maruyama H: The effects of indirect treatment of PNF. *J. Physical therapy science* 2009, 21, 189-193
- 63. Shima N et al. Cross education of muscular strength during unilateral resistance training and detraining. *Eur JAppl Physiol* 2002 (86): 287–294
- 64. Zhou S. Cross education and neuromuscular adaptations during early stage of strength training. *Journal of exercise science and Fitness* 2003 (1) 54-60

Summation

- 65. Da Silva LG, Lummertz CA, Lopes Pedralli M, Rigon F. Visual and verbal summation enhance muscle output in young female subjects. CEP ULBRA 2011 436H.
- 66. Silva et al.: Verbal and visual stimulation effects on rectus femoris and biceps femoris muscles during isometric and concentric. *International Archives of Medicine* 2013 6:38.
- 67. Mahoney JR, Clara Li PC, Park MO, Verghese J, Holtzer R, Multisensory integration across the senses in young and old adults. *Brainresearch* 2011;1426; 43–53

68. Urbenjaphol P, Jitpanya C, Khaoropthum S. Effects of the Sensory Stimulation Program on Recovery in Unconscious Patients With Traumatic Brain Injury. *Journal of Neuroscience Nursing* 2009;41(3):10-16.

Techniques

Replication

69. Magarey ME, Jones MA. Dynamic evaluation and early management of altered motor control around the shoulder complex. *Manual Therapy 2003 (4) 195-206*

Stretch through range Stretch at beginning of range

70. Shimamoto Y, Suzuki M, Mikhailenko SV, Yasuda K, Ishiwata S. Inter-sarcomere coordination in muscle revealed through individual sarcomere response to quick stretch. *PNAS* 2009 106(29) 11954-11959

Dynamic reversals

- 71. Kamimura, T., Yoshkioka, K., Ito, S., & Kusakabe, T. Increased rate of force development of elbow flexors by antagonist conditioning contraction. *Human Movement Science* 2009 (28), 407-414.
- 72. Gabriel DA, Basford J, An K-N. The reversal of antagonists facilitates the peak rate of tension development. *Arch Phys Med Rehab 2001*

Hold and Contract Relax

- 73. Avela J, Finni T, Liikavainio T, Niemelä E, Komi PV. Neural and mechanical responses of the triceps surae muscle group after 1 h of repeated fast passive stretches J Appl Physiol 2004 96:2325-2332.
- 74. Behm DG, *et al*. Acute effects of muscle stretching on physical performance, range of motion, and injury incidence in healthy active individuals: a systematic review. *Appl Physiol Nutr Metab*. 2016 (1):1-11
- 75. Bonnar BP, Deivert RG, Gould TE: The relationship between isometric contraction durations during hold-relax stretching and improvement of hamstring flexibility. *Journal sports medicine and physical fitness* 2004 (3) 258-261
- 76. Bradley PS, Olsen PD, Portas MD: The effect of static, ballistic and PNF stretching on vertical jump performance *Journal of strength and conditioning research* 2007 (1) 223-226
- 77. Carter AM, Kinzey SJ, Chitwood LF, Cole JL: PNF decreases muscle activity during the stretch reflex in selected posterior thigh muscles. *Journal of sport rehabilitation* 2000 (9) 269-278
- 78. Chalmers G: Re-examination of the possible role of Golgi tendon organ and muscle spindle reflexes in proprioceptive neuromuscular facilitation muscle stretching. *Sports biomechanics* 2004 (1) 159-183
- 79. Chow TPY, Ng GYF. Active, passive and proprioceptive neuromuscular facilitation stretching are comparable in improving the knee flexion range in people with total knee replacement: a randomized controlled trial. *Clinical Rehabilitation 2010; 24:* 911–918

- 80. Church JB, Wiggins MS, Moode FM, Crist R: Effect of warm-up and flexibility treatments on vertical jump performance *Jo. Strenght cond. Research 2001 (3):332-336*
- 81. Davis DS, Ashby PE, Mc Cale KL, Mc Quain JA, Wine JM: The effectiveness of 3 stretching techniques on hamstring flexibility using consistent stretching parameters. *Journal of strength and conditioning research* 2005 (1):27-32.
- 82. Deccicco PV, Fisher FM: The effects of proprioceptive neuromuscular facilitation stretching on shoulder range of motion in overhand athletes. *Journal of sports medicine and physical fitness* 2005 (2):183-187.
- 83. Feland JB, Marin HN: Effect of sub maximal contraction intensity in contract-relax proprioceptive neuromuscular facilitation stretching. *British journal of sports medicine* 2004
- 84. Ferber R, Gravelle DC, Osternig LR. Effect of PNF stretch techniques on trained and untrained older adults. *Journal of aging and physical activity* 2002 (10) 132-142
- 85. Ferber R, Osternig LR, Gravelle DC: Effect of PNF stretch techniques on knee flexor muscle EMG activity in older adults. *Journal of electromyography and kinesiology* 2002 (12) 391-397
- 86. Funk DC, Swank AM, Mikla BM, Fagan TA, Farr BK: Impact of prior exercise on hamstring flexibility: a comparison of proprioceptive neuromuscular facilitation and static stretching. *Journal of strength and conditioning research* 2003 (3):489-492
- 87. Godges JJ, Matsen-Bell M, Thorpe D, Shah D: The immediate effects of soft tissue mobilization with proprioceptive neuromuscular facilitation on glenohumeral external rotation and overhead reach. *Journal of orthopedics sports and Physical Therapy 2003* (12) 713-718
- 88. Hindle KB, Whitcomb TJ, Briggs WO, Hong J. Proprioceptive Neuromuscular Facilitation (PNF): Its Mechanisms and Effects on Range of Motion and Muscular Function. *Journal of Human Kinetics* 2012 (31) 105-113
- 89. Kay AD, Dods S, Blazevich AJ. Acute effects of contract-relax (CR) stretch versus a modified CR technique. *Eur J Appl Physiol.* 2016 (116) 611-21
- 90. Kwak DH, Ryu YU.Applying proprioceptive neuromuscular facilitation stretching: optimal contraction intensity to attain the maximum increase in range of motion in young males. *J Phys Ther Sci.* 2015;27(7):2129-32
- 91. Marek SM et al: Acute effects of static and PNF stretching on muscle strength and power output. *Journal of athletic training* 2005 (2) 94-103
- 92. Mathieu NN, Cools A, De Wilde, Boon M, Witvrouw E: Effect of PNF stretching on the plantar flexor muscle-tendon tissue properties. *Scandinavian journal of medicine* &science in sports 2009 (19) 4,553-560
- 93. Moore MA, Kulkulka CG: Depression of Hoffmann reflexes following voluntary contraction and implications for proprioceptive neuromuscular facilitation therapy. *Physical Therapy 1991 (4):321-329; discussion 329-33.*
- 94. Moyano FR, Valenza MC, Martin L M, Caballero YC, Jimenez EG, Demet GV Effectiveness of different exercises and stretching physiotherapy on pain and movement in patellofemoral pain syndrome: a randomized controlled trial. *Clinical Rehabilitation* 2012 27(5) 409–417
- 95. O'Hora J, CartwrightA, Wade CD, Hough AD, Shum GLK: Efficacy of static stretching and PNF stretch on hamstrings length after a single session. Journal of Strength and Conditioning Research 2011;25 (6) 1586-91
- 96. Olivo SA, Magee DJ: Electromyographic assessment of the activity of the masticatory using the agonist contract antagonist relax technique (AC) and contract relax technique (CR). *Manual therapy* 2006 (2) 136-145

- 97. Rees SS, Murphy AJ, Watsford ML, McLachlan KA, Coutts AJ: Effects of PNF stretching on stiffness and force producing characteristics of the ankle in active women. *Journal of strength and conditioning research* 2007 (2) 572-577
- 98. Rowlands AV, Marginson VF, Lee J: Chronic flexibility gains: effect of isometric contraction duration during proprioceptive neuromuscular facilitation stretching techniques. *Research Quarterly Exercise and sports* 2003 (1):47-51.
- 99. Surburg PR, Schrader JW. Proprioceptive Neuromuscular Facilitation techniques in Sports Medicine. A re assessment. *Journal of Athletic Training 1997 32 (1) 34-39*
- 100. Schuback B, Hooper J, Salisburg L: A comparison of a self stretch incorporating PNF components and a therapist applied PNF technique on hamstring flexibility. *Physiotherapy* 2004 (3) 151-157
- 101. Sharman MJ, Cresswell AG, Riek S: Prorioceptive Neuromuscular Facilitation Stretching, mechanisms and clinical implications. *Sports Med* 2006 (11) 929-939
- 102. Weerapong P, Hume PA, Kolt GS: Stretching: mechanisms and benefits for sport performance and injury prevention. *Physical Therapy Reviews* 2004 (9) 189-206
- 103. Wenos DL, Konin JG: Controlled warm-up intensity enhances hip range of motion. *Journal of strength and conditioning research* 2004 (3):529-533
- 104. Youdas JW, Haeflinger KM, Kreun MK, Holloway AM, Kramer CM, Hollman JH: The efficacy of two modified PNF stretching techniques in subjects with reduced hamstring muscle length. *Physiotherapy Theory and Practice 2010 26 (4) 240-250*

Rehab topics

Vital functions

- 105. Cornelius WL, Jensen RL, Odell ME: Effects of PNF stretching phases on acute arterial blood pressure. *Can. Jo. Appl Physiology* 1995 (2)222-229
- 106. Nitz J, Burke B. A study of the facilitation of respiration in myotonic dystrophy. *Physiotherapy research international 2002 (4) 228-238*

Transfers and mat progression

- 107. Barros Ribeiro Cilento M: Evaluation of the efficacy of train protocols of the sit to stand movement. *Fisioterapi Brasil 2006 (6)*
- 108. Hoogenboom BJ, Voight ML.Rolling Revisited: Using Rolling to Assess and Treat Neuromuscular Control and Coordination of the Core and Extremities of Athletes. *Int J Sports Phys Ther.* 2015 (6):787-802
- 109. Klein DA, Stone WJ, ea. PNF training and physical function in assisted living older adults. *Journal of aging and physical activity* 2002 (10) 476-488.
- Richter RR, VanSant AF, Newton RA: Description of Adult Rolling Movements and Hypothesis of Developmental Sequences *Physical Therapy* 1989; 69:63-71

Gait

- 111. Anjum H, Amjad I, Malik AN. Effectiveness of PNF techniques as compared to traditional strength training in gait training among transtibial amputees. *Journal of the College of Physicians and Surgeons Pakistan* 2016, Vol. 26 (6): 503-506
- 112. Caplan N, Rogers R, Parr MK, Hayes PR: The effect of PNF and static stretch training on running mechanics. *J of Strength and Conditioning Research* 2009 23 (4) 1175-1180

- 113. Lacquaniti F, Ivanenko YP, Zago M: Patterned control of human locomotion. *J Physiol* 2012 590 (10) 2189–2199
- 114. Mirek E, ea. Przydatnosc trójwymiarowej analizy lokomocji dla usprawniania ruchowego metoda PNF chorych na chorobe Parkinsona. *Neurol. Neurochir. Poland* 2003 (5) 89-102
- 115. Mirek E, *et al*. The effects of physiotherapy with PNF concept on gait and balance of patients with Huntington's disease pilot study. Neurol Neurochir Pol. 2015(6):354-7.
- 116. Reichel HS PNF: Gangschulung. Sportverletzung, sportschaden 1996 (10) A11-A20
- 117. Sahay P, et al., Efficacy of proprioceptive neuromuscular facilitation techniques versus traditional prosthetic training for improving ambulatory function in transtibial amputees, *Hong Kong Physiotherapy Journal*, 2013
- 118. Yigiter K, Sener G, Erbahceci F, BayarK, Ülger ÖG, Akodogan S: A comparison of traditional prosthetic training versus PNF resistive gait training with trans-femoral amputees. *Prosthetics and orthotics international 2002 (26) 213-217*

Stroke

- 119. Choi YK, Nam CW, Lee JH, Park YH. The Effects of Taping Prior to PNF Treatment on Lower Extremity Proprioception of hemiplegic Patients *J. Phys. Ther. Sci.* 2013 (25) 1119–1122
- 120. Duncan P et al. A Randomized, controlled pilot study of a home based exercise program for individuals with mild and moderate stroke. *Stroke* 1998 (29) 2055-2060
- 121. Duncan P et al. RCT of therapeutic exercise in subacute stroke. *Stroke 2003* (34) 2173-2180
- 122. Ernst E: A review of stroke rehabilitation and physiotherapy. *Stroke 1990 (21)* 1081-1085
- 123. Khanal D, Singaravelan M, Khatri KM. Effectiveness of Pelvic Proprioceptive Neuromuscular Facilitation Technique on Facilitation of Trunk Movement in Hemiparetic Stroke Patients. *Journal of Dental and Medical Sciences* 2013, 3(6,)29-37
- 124. Kraft GH, Fitts SS, Hammond MC: Techniques to improve function of the arm and hand in chronic hemiplegia. *Arch. Phys. Med. Rehabilitation* 1992(3) 220-227
- 125. Luke C, Dodd KJ, Brock K: Outcomes of the Bobath concept on upper limb recovery follwing stroke. *Clinical Rehabilitation* 2004 (18) 888-898
- 126. Pohl M, Mehrholz J, Ritschel C, Rückriem S: Speed dependent treadmill training in ambulatory hemiparetic stroke patients: A RCT. *Stroke* 2002 (33) 553-558
- 127. Ribeiro T, Britto H, Oliveira D, Silva E, Galvio E, Lindquist A. Effects of treadmill training with partial body weight support and the proprioceptive neuromuscular facilitation method on hemiparetic gait: a comparative study. *European Journal of Physical and Rehabilitation Medicine* 2012,48, 1-11
- 128. Wang RY. The effect of proprioceptive neuromuscular facilitation in case of patients with hemiplegia of long and short duration. *Physical Therapy 1994* (12) 25-32
- 129. Wolny T, Saulizc E, Gnat R, Kokosz M. Butler's neuromobilizations combined with proprioceptive neuromuscular facilitation are effective in reducing of upper limb sensory in late-stage stroke subjects: a three-group randomized trial. *Clinical Rehabilitation 2010; 24: 810–821*\

Musculoskeletal issues eg (Chronic) Spine pain (cervical - / Thoracal - / Low Back Pain) extremities issues eg (impingement syndromes etc)

- 130. Alaca N¹, *et al*.Comparison of the long-term effectiveness of progressive neuromuscular facilitation and continuous passive motion therapies after total knee arthroplasty. *J Phys Ther Sci.* 2015 Nov;27(11):3377-80
- 131. Epifanov VA, Shuliakovskii V V: The rehabilitative therapy of patients with osteochondrosis of the cervical spine and manifestations of hyper mobility by means of therapeutic physical exercise. *Vopr Kurortol Fizioter Lech Fiz Kult 2000 (1):8-11.(Russian)*
- 132. Johnson GS, Johnson VS. The application of the principles and procedures of PNF for the care of lumbar spinal instabilities. *The Journal of manual and Manipulative therapy 2002 (2) 83-105*
- 133. Kofotolis N, Eleftherios K: Effects of two 4-week PNF programs on muscle endurance, flexibility, and functional performance in women with CLBP. *Physical Therapy* 2006 (7) 1001-1012
- 134. Maicki T, Trabka R, Szwarczyk W, Wilk Franzcuk M, Figura B. Analysis of therapy results in patients with cervical spine pain according to PNF concept and elements of manual therapy. *MEDSPORTPRESS*, 2012; 3(4);12, 263-273
- 135. Mavromoustakos S, Beneka A, Malliou V, Adamidis A, Kellis E, Kagiaoglou A. Effects of a 6-week Proprioceptive Neuromuscular Facilitation Intervention on pain and disability in individuals with chronic low back pain. *Journal of Physical Activity, Nutrition and Rehabilitation*, 2015 1-13
- 136. Nakra N, Quddus N, Khan S, Kumar S, Meena R. Efficacy of proprioceptive neuromuscular facilitation on shoulder function in secondary shoulder impingement. *International Journal of Therapy and Rehabilitation*. 2013 (20) 9 450-458
- 137. Schneider F, Laps K, Wagner S: Chronic patello femoral pain syndrome: alternatives for cases of therapy resistance. *Knee surgery sports traumatology arthroscopy 2001 Sep*;9(5):290-295

Face and mimics.

- 138. Namura M, Motoyoshi M, Namura Y, Shimizu N: The effect of PNF training on the facial profile. *Journal of oral science* 2008 (1) 45-51
- 139. Olivo SA, Magee DJ: Electromyographic assessment of the activity of the masticatory using the agonist contract antagonist relax technique (AC) and contract relax technique (CR). *Manual therapy* 2006 (2) 136-145
- 140. Olivo SA, Magee DJ: Electromyogrphic activity of the masticatory and cervical muscles during resisted jaw opening movement. *Journal of oral rehabilitation* 2007 (34) 184-194

Case reports

- 141. Carlson M, Hadlock T: Physical Therapist Management following rotator cuff repair for a patient with postpolio syndrome, Case Report. *Physical Therapy* 2007 (87) 179-192
- 142. Hwang WT, Chung SH, Chung MS, Lee KH, Kim T.Effect of proprioceptive neuromuscular facilitation D2 flexion and breathing exercises on lymphedema without a short stretch compression bandage. *J Phys Ther Sci.* 2015 (10):3341-3

- 143. Lee BK. Effects of the combined PNF and deep breathing exercises on the ROM and the VAS score of a frozen shoulder patient: Single case study. *J Exerc Rehabil.* 2015;11(5):276-81
- 144. Luterek M, Baranowski M, Zakiewicz W, Biel A, Pedizisz P: PNF based rehabilitation in patients with severe haemophilic arthropathy-case study. *Ortopedia traumatologia rehabilitcja* 2009 (11) 3, (6) 280-289
- 145. Morley J J, Perrault T. Chiropractic Management of Myositis Ossificans Traumatica: A Case Report *Journal of the American Chiropractic Association 2012*, 4, 16-24
- 146. Pasiut SA, Banach M, Longawa K, Windak F: Stroke rehabilitation conducted by PNF method, with and without the application of botulinum toxin—case reports. *Medical rehabilitation 2005 (9) 1, 15-24*
- 147. Smedes F, Oefentherapie met het PNF concept: een zinvolle behandelstrategie. *Fysiopraxis* 2006 (6) 22-27+ internet (Exercise therapy with the PNF concept a useful therapy strategy)
- Smedes F, Komt een vrouw bij de fysiotherapeut. Case report. *Fysiopraxis* 2009 (1) 42-46+ internet (Comes a woman to the physiotherapist. Case report)

Spasticity

- 149. Bohannon RW, Smith MB. Interrater reliability of a modified Ashworth Scale of muscle spasticity. *Physical Therapy* 1987; 67; 206-207
- 150. Bovend'Eerdt TJ, Newman M, Barker K, Dawes H, Minelli C, Wade DT. The effects of stretching in spasticity: a systematic review. *Arch Phys Med Rehabil* 2008; 89:1395-406.
- 151. Burridge JH, Wood DE, Hermens HJ, Voerman GE, Johnson GR, Wijck van F, Platz T, Gregoric M, Hitschcock R, Pandyan AD. Theoretical and methodological considerations in the measurement of spasticity. *Disability and Rehabilitation* 2005; 27(1/2): 69-80
- 152. Gracies JM. Pathophysiology of spastic paresis. I: paresis and soft tissue changes. *Muscle &Nerve* 2005 (31), 535-551
- 153. Lieber RL, Steinman S, Barash IA, Chambers H. Structural and functional changes in spastic skeletal muscle. *Muscle Nerve* 2004; 29; 615-627
- 154. Malhotra S; Pandyan AD; Rossewilliam S; Roffe C; Hermens H. Spasticity and contractures at the wrist after stroke:time course of development and their association with functional recovery of the upper limb. *Clinical Rehabilitation* 2011; 25: 184–191
- 155. Malhotra S, Pandyan AD, Day CR, Jones PW, Hermens H. Spasticity, an impairment that is poorly defined and poorly measured. *Clinical rehabilitation* 2009; 23: 651-658
- 156. Malhotra S, Cousins E, Ward A, Day C, Jones P, Roffe C, Pandyan A. An investigation into the agreement between clinical, biomechanical and neurophysiological measures of spasticity. Clinical rehabilitation 2008; 22; 1105-1115
- 157. Pandyan AD; Cameron M; Powel J; Stott DJ; Granat MH. Contractures in the post-stroke wrist: a pilot study of its time course of development and its association with upper limb recovery *Clinical Rehabilitation* 2003; 17: 88–95
- 158. Patrick E, Ada L. The tardieu scale differentiates contracture from spasticity whereas the Ashworth Scale is confounded by it. *Clinical rehabilitation* 2006; 20; 173-182

- 159. Petropoulou KB; Panourias JG; Rapidi CA; Sakas DE. The phenomenon of spasticity: a pathophysiological and clinical introduction to neuromodulation therapies. *Acta Neurochir Suppl* 2007 97(1) 137-144
- 160. Sheehan JL, Winzeler-Mercay U, Mudie MH. A randomized controlled pilot study to obtain the best estimate of the size of the effect of a thermoplastic resting splint on spasticity in the stroke-affected wrist and fingers. *Clinical rehabilitation* 2006;20;1032-1037.
- 161. Yelnik AP, Simon O, Parratte B, Gracies JM. How to clinically assess and treat muscle overactivity in spastic paresis. *J. Rehabil. Med.* 2010;42; 801-807